

Mini Gear Single Hole with Small Gear Handle 1.343118

S I M A New 2350 Series



Handle #95

Stixx #2350 Deck Mount 1.239508 List Price from \$895



Handle #38

Nuance #2350 Deck Mount 1.233808 List Price from \$895


New Wall Sets 2350 Series

Select 10-inch or 12-inch spouts - same price



Two Handle 12-inch Spout Wall Lav Jaxx-II

1.233307
List Price from \$859



Single Handle Mixer 10-inch Spout Wall Lav Mixx-II 1.2332S7 List Price from \$859



Handle #26



Two Handle 10-inch Spout
Wall Lav Stixx
1.232607S
List Price from \$859

SIGMA

Thermostatic valve must be purchased separately List Price from \$695

New 2-way, 3-way or 5-way Thermostatic Racetrack Trim Only*



Knurled Stella x Lever 110 Series 1.DT070899T



Knurled Stella x Stella Cross 120 Series 1.DT080899T



Smooth Stella x Lever 120 Series 1.DT979899T




Nova II x Polaris II 3400 Series 1.DT484999T



New Sigmatherm® Specialty Multi-FunctionThermostatic Shower Valves with 2-way, 3-way and 5-way Diverter Valves

Assembled in USA Thermostatic Cartridge by Eurotherm® Diverter by Fluhs®



1/2" Thermostatic Shower Valve Model #18.30.910 \$495


Thermostatic Shower Valve with 2-Way Diverter Valve with Positive Shutoff

• Code approved in California

Select Output 1 or 2 Valve Does Not Share Flow

In this application, the 9 o'clock and 3 o'clock exits must be plumbed. The top and bottom exits are capped off.

Diverter Cartridge #18.30.259 (Orange Dot)



1/2" Thermostatic Shower Valve Model #18.30.911 \$525


Thermostatic Shower Valve with 3-Way Diverter Valve with Positive Shutoff

• Code approved in California

Select Output 1, 2 or 3 Valve Does Not Share Flow

These 3 exits are always independent and will not share flow. Bottom exit can be use if an independent shut off valve is purchased separately, use as a remote exit

Diverter Cartridge #18.30.257 (Green Dot)



1/2" Thermostatic Shower Valve Model #18.30.912 \$525

Thermostatic Shower Valve with 5-Way Diverter Valve with Positive Shutoff

• Not code approved in California

Can have up to 5 exits

Output 1, 3 & 5 - Do Not Share Flow

Output 2 & 4 - Shared Flow (1+3 or 3+5)

Bottom exit can be use if an independent shut off valve is purchased separately, use as a remote exit.

Diverter Cartridge #18.30.264 (Brown Dot)